ELSEVIER

Analytica Chimica Acta 427 (2001) 301–303

ANALYTICA CHIMICA ACTA

www.elsevier.com/locate/aca

Author Index

Abuknesha, R., see Mallat, E. 165
Acedo Valenzuela, M.I., see Espinosa-Mansilla, A. 129
Arida, H.A., see Hassan, S.S.M. 21
Arya, S.P.
—, Mahajan, M. and Jain, P.
Spectrophotometric determination of vitamin C with iron(II)-4-(2-pyridylazo)resorcinol complex 245
Atmaca, S., see Saglik, S. 253

Bächmann, K., see Tam, W.F.C. 259
Badr, I.H., see Hassan, S.S.M. 21
Barceló, D., see Farré, M.l. 181
Barceló, D., see Mallat, E. 165
Barré, N., see Mercier, F. 101
Barzen, C., see Mallat, E. 165
Baumstark-Khan, C., see Hellweg, C.E. 191
Becerra, E., see de Armas, G. 83
Bishop, K.D., see Ngowe, C.O. 137
Borisov, I.A., see Kurganov, B.I. 11
Brody, R.H.
—, Edwards, H.G.M. and Pollard, A.M.
Chemometric methods applied to the differentiation of Fourier-transform Raman spectra of ivories 223

Cañada, F.C., see Espinosa-Mansilla, A. 129
Canters, G.W., see Streffer, K. 201
Capella-Peiró, E.
—, Monferrer-Pons, L., García-Alvarez-Coque, C. and Esteve-Romero, J.
Flow-injection spectrophotometric determination of nicotinic acid in micellar medium of *N*-cetylpyridinium chloride 93
Casanova, F., see Mercier, F. 101
Cerdà, V., see de Armas, G. 83
Chang, X., see Gong, B. 287
Chaniotakis, N.A., see Gavalas, V.G. 271
Chiti, G.
—, Marrazza, G. and Mascini, M.
Electrochemical DNA biosensor for environmental monitoring 155
Cladera, A., see de Armas, G. 83

Danielsson, B., see Ramanathan, K. 1
de Armas, G.
—, Becerra, E., Cladera, A., Estela, J.M. and Cerdà, V.
Sequential injection analysis for the determination of fuberidazole and thiabendazole by variable-angle scanning fluorescence spectrometry 83

Edwards, H.G.M., see Brody, R.H. 223
Ehrentreich, F.
Three-step procedure for infrared spectrum interpretation 233
Endo, Y., see Shibukawa, M. 293
Ersoy, L., see Saglik, S. 253
Escarpa, A.
— and González, M.C.
Approach to the content of total extractable phenolic compounds from different food samples by comparison of chromatographic and spectrophotometric methods 119
Espinosa-Mansilla, A.
—, Acedo Valenzuela, M.I., Muñoz de la Peña, A., Salinas, F. and Cañada, F.C.
Comparative study of partial least squares and a modification of hybrid linear analysis calibration in the simultaneous spectrophotometric determination of rifampicin, pyrazinamide and isoniazid 129
Estela, J.M., see de Armas, G. 83
Esteve-Romero, J., see Capella-Peiró, E. 93

Farré, M.l.
—, García, M.-J., Tirapu, L., Ginebreda, A. and Barceló, D.
Wastewater toxicity screening of non-ionic surfactants by Toxalert® and Microtox® bioluminescence inhibition assays 181
Fiksdal, L., see Pérez, F. 149
Franek, M., see Killard, A.J. 173

García, M.-J., see Farré, M.l. 181
García-Alvarez-Coque, C., see Capella-Peiró, E. 93
Gauglitz, G., see Mallat, E. 165
Gavalas, V.G.
— and Chaniotakis, N.A.
Phosphate biosensor based on polyelectrolyte-stabilized pyruvate oxidase 271
Gawryś, M.
— and Golimowski, J.
Sensitive and very selective determination of titanium by adsorptive-catalytic stripping voltammetry with methylthymol blue, xylenol orange and calcein 55
Ginebreda, A., see Farré, M.l. 181
Golimowski, J., see Gawryś, M. 55

PII: S0003-2670(00)01312-X

Gong, B.
—, Li, X., Wang, F., Xu, H. and Chang, X.
Synthesis of polyacrylacylaminourea chelating fiber and properties of concentration and separation of trace metal ions from samples 287
González, M.C., see Escarpa, A. 119
Grennan, K., see Killard, A.J. 173
Grover, S.K., see Kumar, A. 143

Hassan, S.S.M.
—, Marei, S.A., Badr, I.H. and Arida, H.A.
Novel solid-state ammonium ion potentiometric sensor based on zirconium titanium phosphate ion exchanger 21
Hayashi, T., see Shibukawa, M. 293
Hellweg, C.E.
—, Baumstark-Khan, C. and Horneck, G.
Enhanced green fluorescent protein as reporter protein for biomonitoring of cytotoxic effects in mammalian cells 191
Hendl, O.
—, Howell, J.A., Lowery, J. and Jones, W.
A rapid and simple method for the determination of iodine values using derivative Fourier transform infrared measurements 75
Horneck, G., see Hellweg, C.E. 191
Howell, J.A., see Hendl, O. 75
Hung, C.-C.
— and Santschi, P.H.
Spectrophotometric determination of total uronic acids in seawater using cation-exchange separation and pre-concentration by lyophilization 111

Ito, S., see Wanatabe, S. 211

Jain, P., see Arya, S.P. 245
Jin, J.-Y., see Zhang, S. 45
Jin, L., see Zhang, S. 45
Jones, W., see Hendl, O. 75
Jönsson, B.R., see Ramanathan, K. 1

Kamata, Y., see Wanatabe, S. 211
Kaneko, T., see Wanatabe, S. 211
Kawamura, S., see Shibukawa, M. 293
Killard, A.J.
—, Micheli, L., Grennan, K., Franek, M., Kolar, V., Moscone, D., Palchetti, I. and Smyth, M.R.
Amperometric separation-free immunosensor for real-time environmental monitoring 173
Kolar, V., see Killard, A.J. 173
Kumar, A.
—, Rajesh, Malhotra, B.D. and Grover, S.K.
Erratum to "Co-immobilization of cholesterol oxidase and horseradish peroxidase in a sol–gel film" [Anal. Chim. Acta 414 (2000) 43–50] 143
Kurganov, B.I.
—, Lobanov, A.V., Borisov, I.A. and Reshetilov, A.N.
Criterion for Hill equation validity for description of biosensor calibration curves 11

Law, P.T.R., see Tam, W.F.C. 259
Li, L.-D.
—, Wei, Y. and Tong, A.-J.
Study on cation recognition properties of 4-methene-6,7-dimethoxycoumarin-monoaza-18-crown-6 29
Li, X., see Gong, B. 287
Lobanov, A.V., see Kurganov, B.I. 11
Lowe, R.D., see Nakamura, O. 63
Lowery, J., see Hendl, O. 75

Mahajan, M., see Arya, S.P. 245
Makower, A., see Streffer, K. 201
Malhotra, B.D., see Kumar, A. 143
Mallat, E.
—, Barzen, C., Abuknesha, R., Gauglitz, G. and Barceló, D.
Fast determination of paraquat residues in water by an optical immunosensor and validation using capillary electrophoresis-ultraviolet detection 165
Marei, S.A., see Hassan, S.S.M. 21
Marrazza, G., see Chiti, G. 155
Mascini, M., see Chiti, G. 155
Mascini, M., see Pérez, F. 149
McCreedy, T.
Rapid prototyping of glass and PDMS microstructures for micro total analytical systems and micro chemical reactors by microfabrication in the general laboratory 39
McGuffin, V.L., see Ngowe, C.O. 137
Mercier, F.
—, Moulin, V., Barré, N., Casanova, F. and Toulhoat, P.
Study of the repartition of metallic trace elements in humic acids colloids: potentialities of nuclear microprobe and complementary techniques 101
Micheli, L., see Killard, A.J. 173
Mitchem, L., see Nakamura, O. 63
Monferrer-Pons, L., see Capella-Peiró, E. 93
Moscone, D., see Killard, A.J. 173
Moulin, V., see Mercier, F. 101
Munakata, H., see Wanatabe, S. 211
Muñoz de la Peña, A., see Espinosa-Mansilla, A. 129

Nakamura, O.
—, Lowe, R.D., Mitchem, L. and Snook, R.D.
Diffusion of nitroglycerin from drug delivery patches through micro-fibre filters using Fourier transform infrared photoacoustic spectrometry 63
Nakayama, N., see Shibukawa, M. 293
Ngowe, C.O.
—, Bishop, K.D. and McGuffin, V.L.
Determination of association constants for weak solute–solute complexes by nuclear magnetic resonance spectroscopy 137

Omoda, N., see Wanatabe, S. 211

Palchetti, I., see Killard, A.J. 173
Pérez, F.
—, Tryland, I., Mascini, M. and Fiksdal, L.
Rapid detection of *Escherichia coli* in water by a culture-based amperometric method 149

Pollard, A.M., see Brody, R.H. 223
Pötzsch, S., see Tam, W.F.C. 259

Rajesh, see Kumar, A. 143
Ramanathan, K.
—, Jönsson, B.R. and Danielsson, B.
Sol–gel based thermal biosensor for glucose 1
Rangel, A.O.S.S., see Segundo, M.A. 279
Reshetilov, A.N., see Kurganov, B.I. 11

Sagirli, O., see Saglik, S. 253
Saglik, S.
—, Sagirli, O., Atmaca, S. and Ersoy, L.
Simultaneous determination of fosinopril and hydrochlorothiazide in tablets by derivative spectrophotometric and high-performance liquid methods 253
Salinas, F., see Espinosa-Mansilla, A. 129
Santschi, P.H., see Hung, C.-C. 111
Scheller, F.W., see Streffer, K. 201
Segundo, M.A.
— and Rangel, A.O.S.S.
A gas diffusion sequential injection system for the determination of sulphur dioxide in wines 279
Shibukawa, M.
—, Nakayama, N., Hayashi, T., Shibuya, D., Endo, Y. and Kawamura, S.
Extraction behaviour of metal ions in aqueous polyethylene glycol–sodium sulphate two-phase systems in the presence of iodide and thiocyanate ions 293
Shibuya, D., see Shibukawa, M. 293
Smyth, M.R., see Killard, A.J. 173
Snook, R.D., see Nakamura, O. 63
Streffer, K.
—, Vijgenboom, E., Tepper, A.W.J.W., Makower, A., Scheller, F.W., Canters, G.W. and Wollenberger, U.
Determination of phenolic compounds using recombinant tyrosinase from *Streptomyces antibioticus* 201

Tam, W.F.C.
—, Tanner, P.A., Law, P.T.R., Bächmann, K. and Pötzsch, S.
Use of capillary electrophoresis in the analysis of aerosol and bulk/dry deposition collected on a daily basis 259
Tanner, P.A., see Tam, W.F.C. 259
Tepper, A.W.J.W., see Streffer, K. 201
Tirapu, L., see Farré, M.l. 181
Tong, A.-J., see Li, L.-D. 29
Toulhoat, P., see Mercier, F. 101
Tryland, I., see Pérez, F. 149

Vijgenboom, E., see Streffer, K. 201

Wanatabe, S.
—, Ito, S., Kamata, Y., Omoda, N., Yamazaki, T., Munakata, H., Kaneko, T. and Yuasa, Y.
Development of competitive enzyme-linked immunosorbent assays (ELISAs) based on monoclonal antibodies for chloronicotinoid insecticides imidacloprid and acetamiprid 211
Wang, F., see Gong, B. 287
Wei, Y., see Li, L.-D. 29
Wollenberger, U., see Streffer, K. 201

Xu, H., see Gong, B. 287
Xu, Q., see Zhang, S. 45

Yamazaki, T., see Wanatabe, S. 211
Yuasa, Y., see Wanatabe, S. 211

Zhang, S.
—, Xu, Q., Zhang, W., Jin, L. and Jin, J.-Y.
In vivo monitoring of the monoamine neurotransmitters in rat brain using microdialysis sampling with liquid chromatography electrochemical detection 45
Zhang, W., see Zhang, S. 45